




STYLUS 5400_VER

design Pedrali R&D




<p>MATERIALI Materials / Materialien / Matériaux / Materiales</p>	<p>BASE / BASE / BODENPLATTE / BASE / BASE 450x450 mm, ghisa, sabbiata, verniciata con polvere epossipoliestere / 450x450 mm, Cast iron, sandblasted, epoxy-polyester powder coating / 450x450 mm, Gusseisen, Sandgestrahlt, epoxy-polyester pulverbeschichtet / 450x450 mm, Fonte, sablée, vernissage à poudre époxy-polyestère / 450x450 mm, Hierro fundido, arenada, pintada epoxídica</p> <p>COLONNA / COLUMN / SÄULE / COLONNE / COLUMNNA Tubo Ø40 mm, acciaio, verniciato con polvere epossipoliestere / Tube Ø40 mm, steel, epoxy-polyester powder coating / Rohr Ø40 mm, Stahl, epoxy-polyester pulverbeschichtet / Tube Ø40 mm, acier, vernissage à poudre époxy-polyestère / Tubo Ø40 mm, acero, pintado epoxídico</p>
<p>CROCIERA Cross / Kreuz / Croix / Cruceta</p>	<p>Mod. 5400.3 270x270 mm, ghisa, sabbiata, verniciata con polvere epossipoliestere / 270x270 mm, Cast iron, sandblasted, epoxy-polyester powder coating / 270x270 mm, Gusseisen, Sandgestrahlt, epoxy-polyester pulverbeschichtet / 270x270 mm, Fonte, sablée, vernissage à poudre époxy-polyestère / 270x270 mm, Hierro fundido, arenada, pintada epoxídica</p>
<p>PIEDINI Feet / Gleiter / Patins / Tacos</p>	<p>Art. 1006 Regolabili, 4 x Ø30 mm, base in PE, gambo zincato / Adjustable, 4x Ø30 mm, Polyethylene base, zinc-plated shaft / Verstellgleiter, 4x Ø30 mm, Platte aus Polyäthylen, verzinkte Gleiter / Réglables, 4x Ø30 mm, base en polyéthilène, Tige zingué / Tacos regulables, 4x Ø30 mm, tacos en polietileno, perno galvanizado</p>
<p>UTILIZZO Use / Verwendung / Usage / Uso</p>	<p>Contract, indoor</p>
<p>NORMATIVE e CERTIFICAZIONI Regulations and certificates / Bestimmungen und Zertifikate / Normatives et certifications / Normativas y certificados</p>	<p>Conforme alla norma: stabilità EN 1730:2012, par. 7.2 – 3° livello EN 15372:2008 Conforming to: stability EN 1730:2012, par. 7.2 - level 3° EN 15372:2008</p>
<p>ACCESSORI Accessories / Zubehörteile / Accessoires / Accesorios</p>	<p>cod. KIT/FELTRO.RETT.4 Kit n° 4 feltrini adesivi per basi quadrate-rettangolari / kit n°4 adhesive felts for square-rectangular bases / Kit n° 4 Filzgleiter für rechteckigen-quadratischen sockel / Kit n° 4 feutres adhesifs pour bases carrees-rectangulaires / Kit n° 4 toques de fieltro para bases cuadradas-rectangulares</p>



STYLUS 5402_VER

design Pedrali R&D




<p>MATERIALI Materials / Materialien / Matériaux / Materiales</p>	<p>BASE / BASE / BODENPLATTE / BASE / BASE Ø400 mm, ghisa, sabbiata, verniciata con polvere epossipoliestere / Ø400 mm, Cast iron, sandblasted, epoxy-polyester powder coating / Ø400 mm, Gusseisen, Sandgestrahlt, epoxy-polyester pulverbeschichtet / Ø400 mm, Fonte, sablée, vernissage à poudre époxy-polyestère / Ø400 mm, Hierro fundido, arenada, pintada epoxidica</p> <p>COLONNA / COLUMN / SÄULE / COLONNE / COLUMNNA Tubo Ø40 mm, acciaio, verniciato con polvere epossipoliestere / Tube Ø40 mm, steel, epoxy-polyester powder coating / Rohr Ø40 mm, Stahl, epoxy-polyester pulverbeschichtet / Tube Ø40 mm, acier, vernissage à poudre epoxy-polyestère / Tubo Ø40 mm, acero, pintado epoxidico</p>
<p>CROCIERA Cross / Kreuz / Croix / Cruceta</p>	<p>Mod. 5400.3 270x270 mm, ghisa, sabbiata, verniciata con polvere epossipoliestere / 270x270 mm, Cast iron, sandblasted, epoxy-polyester powder coating / 270x270 mm, Gusseisen, Sandgestrahlt, epoxy-polyester pulverbeschichtet / 270x270 mm, Fonte, sablée, vernissage à poudre époxy-polyestère / 270x270 mm, Hierro fundido, arenada, pintada epoxidica</p>
<p>PIEDINI Feet / Gleiter / Patins / Tacos</p>	<p>Art. 1006 Regolabili, 4 x Ø30 mm, base in PE, gambo zincato / Adjustable, 4x Ø30 mm, Polyethylene base, zinc-plated shaft / Verstellgleiter, 4x Ø30 mm, Platte aus Polyäthylen, verzinkte Gleiter / Réglables, 4x Ø30 mm, base en polyéthilène, Tige zingué / Tacos regulables, 4x Ø30 mm, tacos en polietileno, perno galvanizado</p>
<p>UTILIZZO Use / Verwendung / Usage / Uso</p>	<p>Contract, indoor</p>
<p>NORMATIVE e CERTIFICAZIONI Regulations and certificates / Bestimmungen und Zertifikate / Normatives et certifications / Normativas y certificados</p>	<p>Conforme alla norma: stabilità EN 1730:2012, par. 7.2 – 3° livello EN 15372:2008 Conforming to: stability EN 1730:2012, par. 7.2 - level 3° EN 15372:2008</p>
<p>ACCESSORI Accessories / Zubehörteile / Accessoires / Accesorios</p>	<p>cod. KIT/FELTRO.CURVO.6 Kit n° 6 feltrini adesivi per basi tonde / kit n°6 adhesive felts for round bases / Kit n° 6 Filzgleiter für runden sockel / Kit n° 6 feutres adhesifs pour bases rondes / Kit n° 6 topos de fieltro para bases redondas</p>



STYLUS 5404_VER

design Pedrali R&D




<p>MATERIALI Materials / Materialien / Matériaux / Materiales</p>	<p>BASE / BASE / BODENPLATTE / BASE / BASE 450x450 mm, ghisa, sabbiata, verniciata con polvere epossipoliestere / 450x450 mm, Cast iron, sandblasted, epoxy-polyester powder coating / 450x450 mm, Gusseisen, Sandgestrahlt, epoxy-polyester pulverbeschichtet / 450x450 mm, Fonte, sablée, vernissage à poudre époxy-polyestère / 450x450 mm, Hierro fundido, arenada, pintada epoxídica</p> <p>COLONNA / COLUMN / SÄULE / COLONNE / COLUMNNA Tubo Ø40 mm, acciaio, verniciato con polvere epossipoliestere / Tube Ø40 mm, steel, epoxy-polyester powder coating / Rohr Ø40 mm, Stahl, epoxy-polyester pulverbeschichtet / Tube Ø40 mm, acier, vernissage à poudre époxy-polyestère / Tubo Ø40 mm, acero, pintado epoxídico</p>
<p>CROCIERA Cross / Kreuz / Croix / Cruceta</p>	<p>Mod. 5400.3 270x270 mm, ghisa, sabbiata, verniciata con polvere epossipoliestere / 270x270 mm, Cast iron, sandblasted, epoxy-polyester powder coating / 270x270 mm, Gusseisen, Sandgestrahlt, epoxy-polyester pulverbeschichtet / 270x270 mm, Fonte, sablée, vernissage à poudre époxy-polyestère / 270x270 mm, Hierro fundido, arenada, pintada epoxídica</p>
<p>PIEDINI Feet / Gleiter / Patins / Tacos</p>	<p>Art. 1006 Regolabili, 4 x Ø30 mm, base in PE, gambo zincato / Adjustable, 4x Ø30 mm, Polyethylene base, zinc-plated shaft / Verstellgleiter, 4x Ø30 mm, Platte aus Polyäthylen, verzinkte Gleiter / Réglables, 4x Ø30 mm, base en polyéthilène, Tige zingué / Tacos regulables, 4x Ø30 mm, tacos en polietileno, perno galvanizado</p>
<p>UTILIZZO Use / Verwendung / Usage / Uso</p>	<p>Contract, indoor</p>
<p>NORMATIVE e CERTIFICAZIONI Regulations and certificates / Bestimmungen und Zertifikate / Normatives et certifications / Normativas y certificados</p>	<p>Conforme alla norma: stabilità EN 1730:2012, par. 7.2 – 3° livello EN 15372:2008 Conforming to: stability EN 1730:2012, par. 7.2 - level 3° EN 15372:2008</p>
<p>ACCESSORI Accessories / Zubehörteile / Accessoires / Accesorios</p>	<p>cod. KIT/FELTRO.RETT.4 Kit n° 4 feltrini adesivi per basi quadrate-rettangolari / kit n°4 adhesive felts for square-rectangular bases / Kit n° 4 Filzgleiter für rechteckigen-quadratischen sockel / Kit n° 4 feutres adhesifs pour bases carrees-rectangulaires / Kit n° 4 topos de fieltro para bases cuadradas-rectangulares</p>



STYLUS 5410_VER

design Pedrali R&D



<p>MATERIALI Materials / Materialien / Matériaux / Materiales</p>	<p>BASE / BASE / BODENPLATTE / BASE / BASE 590x590 mm, ghisa, sabbiata, verniciata con polvere epossipoliestere / 590x590 mm, Cast iron, sandblasted, epoxy-polyester powder coating / 590x590 mm, Gusseisen, Sandgestrahlt, epoxy-polyester pulverbeschichtet / 590x590 mm, Fonte, sablée, vernissage à poudre époxy-polyestère / 590x590 mm, Hierro fundido, arenada, pintada epoxidica</p> <p>COLONNA / COLUMN / SÄULE / COLONNE / COLUMNNA Tubo Ø50 mm, acciaio, verniciato con polvere epossipoliestere / Tube Ø50 mm, steel, epoxy-polyester powder coating / Rohr Ø50 mm, Stahl, epoxy-polyester pulverbeschichtet / Tube Ø50 mm, acier, vernissage à poudre époxy-polyestère / Tubo Ø50 mm, acero, pintado epoxidico</p>
<p>CROCIERA Cross / Kreuz / Croix / Cruceta</p>	<p>Mod. 4000 450x450 mm, ghisa, sabbiata, verniciata con polvere epossipoliestere / 450x450 mm, Cast iron, sandblasted, epoxy-polyester powder coating / 450x450 mm, Gusseisen, Sandgestrahlt, epoxy-polyester pulverbeschichtet / 450x450 mm, Fonte, sablée, vernissage à poudre époxy-polyestère / 450x450 mm, Hierro fundido, arenada, pintada epoxidica</p>
<p>PIEDINI Feet / Gleiter / Patins / Tacos</p>	<p>Art. 1006 Regolabili, 4 x Ø30 mm, base in PE, gambo zincato / Adjustable, 4x Ø30 mm, Polyethylene base, zinc-plated shaft / Verstellgleiter, 4x Ø30 mm, Platte aus Polyäthylen, verzinkte Gleiter / Réglables, 4x Ø30 mm, base en polyéthilène, Tige zingué / Tacos regulables, 4x Ø30 mm, tacos en polietileno, perno galvanizado</p>
<p>UTILIZZO Use / Verwendung / Usage / Uso</p>	<p>Contract, indoor</p>
<p>NORMATIVE e CERTIFICAZIONI Regulations and certificates / Bestimmungen und Zertifikate / Normatives et certifications / Normativas y certificados</p>	<p>Conforme alla norma: stabilità EN 1730:2012, par. 7.2 – 3° livello EN 15372:2008 Conforming to: stability EN 1730:2012, par. 7.2 - level 3° EN 15372:2008</p>
<p>ACCESSORI Accessories / Zubehörteile / Accessoires / Accesorios</p>	<p>cod. KIT/FELTRO.RETT.4 Kit n° 4 feltrini adesivi per basi quadrate-rettangolari / kit n°4 adhesive felts for square-rectangular bases / Kit n° 4 Filzgleiter für rechteckigen-quadratischen sockel / Kit n° 4 feutres adhesifs pour bases carrees-rectangulaires / Kit n° 4 topes de fieltro para bases cuadradas-rectangulares</p>