
Flute





Flute - Off white



Flute – Charcoal

Flute – Natural

Flute builds on the exploration of material, form and process within the Anchor studio. The bold, curved face and fluted sides harmonise to create a sculptural and tactile fitting. The Anchor studio continues to expand its range of making methods and explore the design possibilities of clay. Flute is produced through a process of design thinking, traditional ceramic techniques and contemporary tools and methods.

Australian clay bodies are used to make Flute. The colour palette offered includes natural, dark grey, off-white, charcoal and white. The glaze finishes have been carefully tested and refined to enhance the material quality of each clay body. Inspired by place, Anchor's palette is developed inhouse to the highest standard. Clay body and glaze fit are developed together. After an initial firing, fittings are hand finished with glazes developed specifically for our lighting collection and then fired one final time.

Flute



Design	Bruce Rowe f	Bruce Rowe for Anchor							
Year of Design	2018	2018							
Light type	Wall mount	Wall mount							
Material	Extruded cer	Extruded ceramic							
Technical	Approximate	Approximate size			$90 \text{wide} \times 110 \text{deep} \times 220 \text{mm tall}$				
	Approximate	Approximate weight			2.0 KG				
	Wall mount	Wall mount		Integrated, powder coated aluminium mouting system					
	Light source		Gu10 L	Gu10 LED Globe Max. 9W Not supplied with fitting					
	Lampholder			Gu10					
	Lumens / Colour temperature			Globe dependent					
	Primary voltage			240V AC					
	IP Rating		IP20						
Glaze finishes									
	Speckled White Gloss	Off White Matt	Natural Matt	Dark grey Satin	Charcoal Satin				

Flute IP65





Flute - Off white



Flute – Speckled white

Flute – Charcoal

Flute IP65 expands the Flute Light range to offer an IP65 rated fitting suited to external or wet area installations. Building on the exploration of material, form and process within the Anchor studio. The bold, curved face and fluted sides harmonise to create a sculptural and tactile fitting. The Anchor studio continues to expand its range of making methods and explore the design possibilities of clay. Flute is produced through a process of design thinking, traditional ceramic techniques and contemporary tools and methods.

Australian clay bodies are used to make Flute. The colour palette offered includes natural, dark grey, off-white, charcoal and white. The glaze finishes have been carefully tested and refined to enhance the material quality of each clay body. Inspired by place, Anchor's palette is developed inhouse to the highest standard. Clay body and glaze fit are developed together. After an initial firing, fittings are hand finished with glazes developed specifically for the Flute collection.

Flute IP65



Design	Bruce Rowe for Anchor								
Year of Design	2019								
Light type	Exterior / wet area wall mo	Exterior / wet area wall mount							
Material	Extruded ceramic								
Technical	Approximate size	90 wide ×	90 wide × 110 deep × 220mm tall						
	Approximate weight	2.0 KG	2.0 KG						
	Wall mount	Integrate	Integrated, powder coated aluminium mouting system						
	Light source	Integrate	Integrated LED						
	Power	6.3W	6.3W						
	Lumens at source	820lm	820lm						
	Colour tTemperature	3000K	3000K						
	CRI	CRI80	CRI80						
	Primary voltage (to driver)	240V AC	240V AC						
	Secondary voltage (to fittin	g) 180mA	180mA						
	Driver location	Remote	Remote						
	L70	55,000 Ho	55,000 Hours						
	IP Rating	IP65	IP65						
Driver Options Glaze finishes	Phase Cut / Dali / Casambi	Install re	install remote to fitting						
		Flute IP65 fittings must be installed using the supplied driver Refer to installation guides for further information							
	Saraso tot tat mot missingue.								
	Speckled White Off White Gloss Matt		Dark grey Satin	Charcoal Satin					